

L Number	Hits	Search Text	DB	Time stamp
1	0	monitor\$3 with (intra\$1hub near path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:29
2	0	monitor\$3 with intra\$1hub with (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:29
3	0	monitor\$3 with intra\$1hub same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:29
4	0	monitor\$3 same intra\$1hub same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:30
5	0	monitor\$3 same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:30
6	0	(monitor\$3 or detect\$3) same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:31
8	0	(monitor\$3 or detect\$3) same (intra\$1hub) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:31
9	0	(monitor\$3 or detect\$3) same (hub) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:31
10	8	709/.ccls. and (monitor\$3 or detect\$3) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:36
11	0	370/ccls. and (monitor\$3 or detect\$3) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:36
12	5	709/224-249.ccls. and (monitor\$3 or detect\$3) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:36
-	6	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (BPDU or (Bridge adj Protocol adj Data adj Unit)) and (MAC adj address) and (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 17:00
-	11	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (BPDU or (Bridge adj Protocol adj Data adj Unit)) and (MAC adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 17:18
-	4	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3 with (MAC adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 17:20
-	0	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) adj (destination adj address) and (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3 with (MAC adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 17:20
-	11	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (destination adj address) and (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3 with (MAC adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 17:23
-	14	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3 same (MAC adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:01
-	0	@ad<20001114 and prevent\$3 with (bridge adj loop) and compar\$3 same (MAC adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:00
-	17	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:10

-	47	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:11
-	25	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same port) and match\$3 same (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
-	25	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same port) and match\$3 same (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
-	22	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same port) and match\$3 with (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
-	20	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 with port) and match\$3 with (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
-	8	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) and match\$3 with (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:26
-	0	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:27
-	0	@ad<20001114 and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:27
-	2	@ad<20001114 and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:29
-	2	@ad<20001114 and (disabl\$3 same port) same match\$3 same (destination adj address) and (prevent\$3 or avoid\$3) same loop same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:29
-	53	@ad<20001114 and (disabl\$3 same port) and (prevent\$3 or avoid\$3) same loop same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:30
-	42	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3) same loop same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:30

-	18	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge same port and (compar\$3 or match\$3) same ((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:32
-	17	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge same port and (compar\$3 or match\$3) with((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:40
-	0	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3) with ((MAC or destination) adj address) and intra-hub	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:40
-	0	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) with ((MAC or destination) adj address) and (predetermin\$3 or predefin\$3) near address	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:41
-	11	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) with ((MAC or destination) adj address) and (predetermin\$3 or predefin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:43
-	10	@ad<20001114 and (disabl\$3 near port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) with ((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:45
-	11	@ad<20001114 and (disabl\$3 near port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same loop same bridge and (compar\$3 or match\$3 or monitor\$3) same ((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:48
-	11	@ad<20001114 and (disabl\$3 near port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same (bridge same loop) and (compar\$3 or match\$3 or monitor\$3) same ((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:49
-	20	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3) same (bridge same loop) and (compar\$3 or match\$3 or monitor\$3) same ((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/13 14:12
-	22	@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3) same (bridge same loop) and (compar\$3 or match\$3 or monitor\$3) same ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 11:51
-	62	@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or monitor\$3 or stor\$3 or updat\$3) same ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:27
-	52	@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or monitor\$3 or stor\$3 or updat\$3) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 11:59

-	19	@ad<20001114 and ((disabl\$3 or block\$3) with port) same (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:06
-	7	@ad<20001114 and ((disabl\$3 or block\$3) with port) same (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination or source) adj address) and (learn\$3 with bridge) same (spanning adj tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:16
-	24	@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination) adj address) and (learn\$3 with bridge) and (spanning adj tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:18
-	4	@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC and destination) adj address) and (learn\$3 with bridge) and (spanning adj tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:22
-	24	@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination) adj address) and (learn\$3 with bridge) and (spanning adj tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:24
-	14	@ad<20001114 and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or updat\$3) with ((MAC or destination) adj address) and (learn\$3 with bridge) and (spanning adj tree) same ((disabl\$3 or block\$3) with port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:25
-	32	@ad<20001114 and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:29
-	15	@ad<20001114 and (spanning adj tree) same ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:30
-	2	@ad<20001114 and (learn\$3 adj bridge) and (spanning adj tree) same ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:31

-	2	@ad<20001114 and (learn\$3 adj bridge) and (spanning adj tree) same ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:32
-	11	@ad<20001114 and (learn\$3 adj bridge) and (spanning adj tree) and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:34
-	3	@ad<20001114 and (learn\$3 adj bridge) and (spanning adj tree) and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) with (loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:35
-	34	@ad<20001114 and (spanning adj tree) and ((disabl\$3 or block\$3) with port) and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) with (loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:36
-	11	@ad<20001114 and (spanning adj tree) and ((disabl\$3 or block\$3) with port) same (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) with (loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:46
-	2	@ad<20001114 and (prevent\$3 or avoid\$3 or detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) with (loop) and ((compar\$3 or match\$3 or monitor\$3) and (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) same ((disabl\$3 or block\$3) with port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 12:59
-	23	@ad<20001114 and ((compar\$3 or match\$3) same (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) same ((disabl\$3 or block\$3) with port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:01
-	1	@ad<20001114 and ((compar\$3 or match\$3) same (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) same ((disabl\$3 or block\$3) with port) and (spanning adj tree) and (learn\$3 adj bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:02
-	2	@ad<20001114 and ((compar\$3 or match\$3) same (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) same ((disabl\$3 or block\$3) with port) and (spanning adj tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:03
-	6	@ad<20001114 and ((compar\$3 or match\$3) same (stor\$3 or updat\$3)) with ((MAC or destination or source) adj address) same ((disabl\$3 or block\$3) near port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:05

-	0	@ad<20001114 and ((compar\$3 or match\$3) same (stor\$3 or updat\$3)) with ((source adj MAC) adj address) same ((disabl\$3 or block\$3) near port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:06
-	0	@ad<20001114 and ((compar\$3 or match\$3) and (stor\$3 or updat\$3)) with ((source adj MAC) adj address) same ((disabl\$3 or block\$3) near port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:06
-	0	@ad<20001114 and ((compar\$3 or match\$3)) with ((source adj MAC) adj address) same ((disabl\$3 or block\$3) near port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:06
-	6	@ad<20001114 and ((compar\$3 or match\$3) and (stor\$3 or updat\$3)) with ((source adj MAC) adj address) and ((disabl\$3 or block\$3) near port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/14 13:06